Page 1 of 6 Backed By Bayer



Home

Management

Lawn & Landscape Management

**Industrial Vegetation** Management

Pest Management Vector Control

About **Backed By Bayer** 

Products

Locate a Distributor Sales and Support Resource Library

Search



Overview

**MSDS** 

English PDF Spanish PDF

# Material Safety Data Sheet

# MAXFORCE® FC PROFESSIONAL INSECT **CONTROL® ANT KILLER BAIT GEL**

MSDS Number: 102000005030 MSDS Version 2.0 Revision Date: 12/12/2007

#### SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

**Product Name** 

MAXFORCE® FC PROFESSIONAL INSECT CONTROL® ANT KILLER BAIT

**GEL** 

**MSDS Number** 

102000005030

**EPA Registration** No.

432-1264

Bayer Environmental Science 2 T.W. Alexander Drive Research Triangle PK, NC 27709

USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call:

1-800-334-7577

1-800-334-7577 (24 hours/day)

For Product Information call:

1-800-331-2867

1-800-331-2867

#### SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Average % by Weight

120068-37-3 0.001

# SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Caution! May be harmful if swallowed. Avoid contact with skin, eyes and **Emergency** clothing. Keep exposed gel away from open food and food contact surfaces. Overview

Hazard to humans and domestic animals. Keep out of reach of children and animals.

**Physical State** 

Odor sweet

**Appearance** amber

Routes of Exposure

Ingestion, Skin contact, Eye contact

Immediate Effects

Eye

May cause mild irritation to eyes. Avoid contact with eyes

Skin

Backed By Bayer Page 2 of 6

Mild skin irritation. Avoid contact with skin and clothing

#### Ingestion

May be harmful if swallowed. Do not take internally.

Chronic or **Delayed Long-**Term

This product or its components may have target organ effects. This product or

its components may have long term (chronic) health effects.

Medical Conditions Aggravated by Exposure

No specific medical conditions are known which may be aggravated by

exposure to this product.

# **SECTION 4. FIRST AID MEASURES**

General When possible, have the product container or label with you when calling a

poison control center or doctor or going for treatment.

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Eye

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately

with plenty of water for at least 15 minutes. Call a physician or poison control

center immediately.

Call a physician or poison control center immediately. Rinse out mouth and Ingestion

give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth

to an unconscious person. Do not leave victim unattended.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to-mouth if possible. Call a

physician or poison control center immediately.

Notes to Physician

Treatment

There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

# **SECTION 5. FIRE FIGHTING MEASURES**

Flash point 93.4 °C / 200.1 °F

Suitable Extinguishing Water, Foam, Carbon dioxide (CO2), Dry chemical

Fire Fighting

Media

Keep out of smoke. Fight fire from upwind position. Cool closed

Instructions containers/tanks exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Isolate hazard area. Keep unauthorized people away. Avoid contact with

Precautions spilled product or contaminated surfaces.

Methods for Collect and transfer the product into a properly labelled and tightly closed Cleaning Up container. Clean contaminated floors and objects thoroughly, observing

environmental regulations.

Backed By Bayer Page 3 of 6

**Additional Advice** 

Use personal protective equipment. Do not allow to enter soil, waterways or

waste water canal.

#### **SECTION 7. HANDLING AND STORAGE**

Handling

Procedures

Maintain exposure levels below the exposure limit through the use of general

and local exhaust ventilation.

Product will stain porous surfaces.

Do not use this product in or on electrical equipment due to the possibility of

shock hazard.

Storing

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep

**Procedures** out of reach of children and animals.

Work/Hygienic

Procedures

Keep away from food, drink and animal feedingstuffs.

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Min/Max Storage **Temperatures** 

Recommended maximum transport/storage temperature: 27  $^{\circ}\text{C}$  / 81  $^{\circ}\text{F}$  The

30-day storage temperature average must not exceed the recommended

maximum.

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**General Protection** 

There are no known hazards associated with this product when used according to the label directions. The following guidelines should be followed.

Avoid contact with skin and eyes.

Follow all label instructions. Train employees in safe use of the product.

**Exposure Limits** 

120068-Fipronil 37-3

OES BCS\* 0.035 mg/m3

Sucrose 57-50-1 **ACGIH**  10 mg/m3

NIOSH REL Form of

TWA

5 mg/m3

Respirable.

exposure

REL

10 mg/m3

Total

Form of exposure

OSHA

PEL

5 mg/m3

Form of exposure Respirable fraction.

OSHA Z1

Z1

NIOSH

15

mg/m3

PEL Form of exposure

exposure

TWA

Form of

Total dust.

OSHA

5 mg/m3

Z1A Form of

Respirable

OSHA

15

fraction.

Z1A

mg/m3

10

mg/m3

Total dust.

US CA TWA PEL

exposure 5 mg/m3

OEL

Form of exposure TWA PEL Respirable

US CA OEL

> Form of exposure

Total dust.

Page 4 of 6 Backed By Bayer

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

amber

**Physical State** 

ael

Odor

sweet

рΗ

4.5 - 5.5

Density

1.27 g/cm3

Melting / Freezing

60 °C / 140 °F

Point

#### **SECTION 10. STABILITY AND REACTIVITY**

Conditions to

Avoid

Extremes of temperature and direct sunlight.

Exposure to moisture.

Incompatibility

Strong bases Strong acids

Strong oxidizing agents

Hazardous

Decomposition **Products** 

Thermal decomposition Nitrogen oxides (NOx) Sulphur oxides Hydrogen fluoride (HF) Carbon oxides

Hydrogen chloride (HCI)

Hazardous Reactions

Stable under recommended storage conditions.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute toxicity data have been bridged from a similar formulation containing a slightly higher percentage of the active ingredient, fipronil. The non-acute information pertains to technical-grade active ingredient.

**Acute Oral Toxicity** rat: LD50: > 5,000 mg/kg

**Acute Dermal** Toxicity

rat: LD50: > 5,000 mg/kg

Skin Irritation rabbit: Slight irritation.

Eye Irritation rabbit: Minimally irritating.

Sensitization guinea pig: Non-sensitizing.

**Chronic Toxicity** Fipronil caused liver, kidney or thyroid effects and/or neurobehavioral effects

(e.g., tremors) in chronic toxicity studies in rats and dogs. Fipronil did not

induce any microscopic lesions in the neural tissues.

Assessment

Fipronil has been classified by EPA as a Category C carcinogen based on Carcinogenicity thyroid tumors in rats only. These tumors are produced by a mechanism

which is not relevant to human cancer. Fipronil did not produce an increase in

tumor incidence in mice.

**ACGIH** None Backed By Bayer Page 5 of 6

NTP None.

IARC None.

OSHA None.

Reproductive &

Developmental Toxicity REPRODUCTION: Fipronil was not considered a primary reproductive

toxicant in rats.

DEVELOPMENTAL TOXICITY: Fipronil was not a developmental toxicant in

rats and rabbits.

Neurotoxicity Fipronil caused transient neurobehavioral effects (e.g., tremors) in

neurotoxicity studies in rats. Delays in developmental landmarks were

observed in rats at maternally toxic doses.

Mutagenicity Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo

tests.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Environmental Precautions Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on

the label.

#### SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal

Guidance

Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Never place unused product down any

indoor or outdoor drain

Container Disposal Do not re-use empty containers. Place empty container in trash.

# SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:

Not regulated for Domestic Surface Transportation

FREIGHT

Insecticides or Fungicides, N.O.I., other than poison

CLASSIFICATION:

#### **SECTION 15. REGULATORY INFORMATION**

EPA Registration No. 432-1264

# **US Federal Regulations**

TSCA list

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt

D)

SARA Title III – Section 302 – Notification and Information None.

None.

None.

SARA Title III -Section 313 - None.

Backed By Bayer Page 6 of 6

> **Toxic Chemical** Release Reporting

# **US States Regulatory Reporting**

CA Prop65

This product does not contain any substances known to the State of California

to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-

**Know Ingredients** 

#### **Canadian Regulations**

Canadian **Domestic** Substance List None.

None.

# Environmental

CERCLA

None.

Clean Water Section 307

None.

**Priority Pollutants** 

None.

Safe Drinking Water Act Maximum Contaminant Levels

## SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 0

Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated for general editorial purposes. Updated due to new system and numbering scheme.

Revision Date: 12/12/2007

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.

Last updated: September 28, 2014

- » Bayer Global
- » Bayer CropScience Global
- » Bayer Advanced
- » General Conditions of Use
- » Privacy Statement

» Imprint

**Golf Course** 

- Management » Products
- » Locate a Distributor
- » Sales and Support
- » Resource Library
- Pest
- Management » Products
- » Locate a Distributor
- » Sales and Support » Resource Library
- » Sales and Support » Resource Library

Vector

Management » Products

Lawn & Landscape

» Locate a Distributor

- Control » Products » Locate a Distributor
- » Sales and Support » Resource Library

Industrial Vegetation

- Management » Products
- » Locate a Distributor
- » Sales and Support
- » Resource Library

About

- Backed By Bayer

  » Sustainability » Register
- » Contact Us

Contact Us Bayer Product Support: 1-800-331-2867

Print Top

Follow Us:



© 2014 Bayer CropScience LP, 2 T.W. Alexander Drive, Research Triangle Park, NC 27709 Bayer Environmental Science is a business unit of Bayer CropScience LP. Bayer and the Bayer Cross are registered trademarks of BAYER. Always read and follow label instructions